

ANDREA ANGELI

EVENTI DIGITALI, LIVE STREAMING E PRODUZIONE VIDEO

Corso San Gottardo 3, 20136 Milano | P.IVA 06025180487 | SDI: N92GLON

www.angeliandrea.it | info@angeliandrea.it

WORKSTATIONS Win10 PRO

ASUS X-299 vMix workstation [8 sdi in/out – 8 hdmi in]

- CPU Intel(R) i9 10980EX @3GHz/4.4GHz
- GPU Quadro RTX5000
- RAM 128 Gb
- Motherboard Asus x-299 Pro Sage II
- Windows 10 Pro
- Blackmagic Decklink 8K Pro
- Blackmagic Decklink 8K Pro
- Blackmagic Decklink Quad HDMI Recorder
- Blackmagic Decklink Quad HDMI Recorder
- vMix 26 Pro Licence

DELL 3930 vMix workstation [4 sdi/in-out + 4 hdmi in]

- CPU intel(IR) Xeon E-2224G Exacore @3GHz
- GPU Quadro RTX4000
- RAM 64 Gb
- Motherboard Dell Poweredge
- Windows 10 Pro
- vMix 26, Pro Licence
- Blackmagic Decklink 8k Pro
- Blackmagic Decklink Quad Hdmi Recorder

DELL 7550 Mobile Workstation + Sonnett Echo III Thunderbolt Enclosure [various config]

- CPU Intel(R) Xeon W-10855M @2.80GHz
- GPU Quadro RTX4000
- RAM 96 Gb
- Windows 10 Pro
- vMix 26, 4K Licence
- Thinderbolt 3 PCIe Enclosure
- Blackmagic Decklink Duo 2
- Blackmagic Decklink 4K SDI

WORKSTATION's SOFTWARE

- vMix Pro 26
- vMix 4K 26
- Adobe CC Suite
- DaVinci Resolve Studio
- RedGiant Plural Eyes
- Waves Central Audio Plugin
 - Compressor, Studio Reverb, Convolution Reverb, Noise Reduction, Graphic EQ, Parametric EQ.
- Microsoft Office
- NDI Tools
- Dante Virtual Sound Card

COMPUTER ACCESSORIES

- Swissonic USB Hub 1916, con 16 porte USB
- Swissonic HDMI Splitter 1 input x 8 output
- Samsung T5 HDD 1Tb [x2]
- Samsung T7 HDD 1Tb
- LaCie Rugged 5Tb Usb-C [x3]

ATTREZZATURE AUDIO

MIXER

- MIDAS M32R Digital MIXER
 - 16 Ingressi Microfonici
 - 8 uscite XLR
 - 8 DCA e 6 gruppi Mute
 - 17 fader motorizzati
 - Interfaccia audio USB 32x32
 - 25 Mix Bus
- Soundcraft EFX12
 - 12 Mono inputs
 - 2 Stereo inputs
 - Insert per channel
 - 1 FX send
 - 1 Aux send pre/post switchable
 - Solo/Mute switch Aux
 - Built-in Lexicon effect unit with 32 effect
 - 48 Volt phantom power

SPEAKER

- Bose S1 Pro Speaker [x2] + Roadworx Speaker Stand [x2]
 - 160 w RMS c/u
 - SPL massimo 103 db
 - Bluetooth
 - 2 ingressi XLR/jack da 6,3 mm
 - 1 uscita di linea
- Yamaha HS8 Active Speakers
 - Woofer da 8" (75 watt) + Tweeter da 1" (45 watt)
 - Potenza: bi-amp da 120 watt
 - Sistema Bass Reflex
 - Risposta in frequenza: 38 Hz - 30.000 Hz
 - Ingressi: XLR e jack da 6,3 mm bilanciati.
- Millenium BS-500 Set
 - Supporti casse HS8 da pavimento con spugna antivibrazione

MICROFONI

- Mic Gelato Wireless, Sennheiser XSW 1-835 [x2]
 - Mic dinamici wireless
 - Sennheiser SK-XSW-E-Band TX da cintura con Mic Sennheiser ME 2
- Mic Neumann KM184 [x2]
 - Mic condensatore con diagramma cardioide
- Mic Sennheiser EW 112P G3 A-Band
 - Set wireless RX/TX lavallier, diagramma omni
- Mic Rode NT2-A [x2]
 - Condensatore diaframma largo, pattern variabile [omni, cardioide, bidirezionale]
- Mic Rode NT5 [x2]
 - Condensatore e diaframma piccolo, diagramma cardioide
- Mic Audio-Technica AT2020USB+ [x2]
 - Condensatore diaframma largo, USB
- Mic Audio-Technica Pro PRO70 Condensatore Lavalier cablato
- Mic Sennheiser ME 2 Lavallier [x2]
- Aste microfoniche K&M 27105 [x16]
- Aste microfoniche K&M 25935 [x2]

CAVI XLR

- XLR Cables 50mt [x8]
- XLR Cables 30mt [x4]
- XLR Cables 15mt [x16]
- XLR Cables 1,5mt [x16]

STAGE BOX

- Stage Box Sssnake MC164. 16 inputs + 4 outputs
- Stage Box Cat Sssnake MB/FB [x4 coppie per 16 input/output]
- LAN Cable CAT8 25mt per Sssnake MB/FB [x4]

AUDIO RECORDER

- TASCAM DR680 MARK II Audio Recorder [6 mic inputs+2 line inputs]

INTERFACCE AUDIO

- MIDAS M32R [16mic input]
- Focusrite Scarlett 18i20 Audio Interface [8 mic inputs]
- Focusrite Scarlett 18i8 Audio Interface [4 mic inputs]
- Focusrite Scarlett 2i2 Audio Interface [2 mic inputs]

EAR-MONITOR

- MI LD Systems HPA 1
- Sennheiser IE 100 Pro Black ear monitor

CUFFIE AUDIO, WALKIE TALKIE & INTERCOM

- Audio-Technica ATH-M50X [x6]
- EARTEC Ultralite Intercom 4 set [cuffia master+3 cuffie]
- Walkie Talkie Motorola [x8]

ALTRI CAVI AUDIO

- Ogni tipo di cavo audio per ogni tipo di collegamento con apparecchiature audio, computers, converters etc con ogni tipo di connettori.

ATTREZZATURE AUDIO MISCELLANEA

- ART S8 rack Splitter microfonico 8CH
- ART EQ341 rack Dual 15-Band Graphic EQ
- ART rack Headamp 6
 - Six independent headphone amplifiers with high output power
 - Possibility of simultaneous use of up to 18 headphones
 - Three headphone outputs on every channel
 - Stereo aux input on every channel (front side), balance/mix control
 - More selectable monitor settings on every channel
- ART MX822 – 8-Channel Stereo rack Mixer with Effects Loop
 - XLR-F balanced (MIC) In
 - 1/4" TRS unbalanced (Ch1-Ch8, Effects Return) In
 - 1/4" TRS stereo unbalanced (EFX Buss, Main Expand) In
 - XLR-M balanced (Main) Out
 - 1/4" TRS unbalanced (Effectss Send) Out
 - 1/4" TRS stereo unbalanced Out
- Alesis Midiverb III
- Klark Teknik DS 50 XLR Splitter 1 > 5
 - 1 XLR input
 - 5 XLR outputs
 - Neutrik connectors
- Behringer DI100 DI-Box [x2]

CONVERTITORI AV

BLACKMAGIC DESIGN

- Mini Converter SDI to Audio
- Mini Converter UpDownCross HD [x2]
- Micro Converter SDI to HDMI 3G [x2]
- Micro Converter HDMI to SDI 3G [x2]
- Mini Converter SDI to HDMI 3G Bidirectional [x4]
- Ultrastudio 3G Recorder
- Ultrastudio 3G Monitor
- Multiview 4 HD

BIRDDOG

- Birddog Studio NDI [x2]
 - Encoder/decoder NDI to SDI or HDMI bidirectional

AUDINATE

- Dante Avio In 2Ch [x4]
- Dante Avio Out 2Ch [x4]
- Dante Avio USB-C Adapter I/O [x3]

VIDEOCAMERE

- Canon EOS C200 Cinema Camera [x2]
- Blackmagic Pocket Cinema Camera 6k G2 [x2]
- Blackmagic Pocket Cinema Camera 4K [x2]
- Blackmagic Micro Studio Camera 4K
- Canon EOS 5D Mark III DSLR
- Canon EOS 5D Mark II DSLR
- Canon EOS C100 Mark II

LENTI & OBIETTIVI

- Canon CN-E Servo Zoom 70-200 mm f:4
- Canon EF 70-200 mm f:2,8
- Canon 24-70 mm f:2,8
- Canon 17-40 mm f:4
- Canon 24-105 mm f:4
- Canon 50mm f:1,2
- Canon Extender 1,4x
- Canon Extender 2x
- Zuiko Digital ED 7-14mm 1:2.8 Pro
- Zuiko Digital 12-40mm Pro 1:2,8

ATTREZZATURE VIDEO MISCELLANEA

- LiveU Solo SDI Video Encoder
- Blackmagic Hyperdeck HD Recorder
- Blackmagic Smart View Duo Monitors
- Blackmagic ATEM Television Studio HD
- Blackmagic Video Hub 12x12
- Baxxtar batterie Pro V-Mount – V95 Compact II [x4]

CAVI VIDEO

- SOMMER Cable SDI 50mt
- SOMMER Cable SDI 25mt
- ANNNWZZD Fibra Ottica HDMI 4K 100mt
- ANNNWZZD Fibra Ottica HDMI 4K 50mt
- ANNNWZZD Fibra Ottica HDMI 4K 25mt

ILLUMINAZIONE DA STUDIO

- GODOX UL 150 LED [x4]
 - Lux 58000
 - 150 w/h
 - Attacco Bowens
 - Remote control
 - Alimentazione Rete/V-Lock
- Softbox, Beauty Box, Softbox parabolici, fresnel, parabole con attacco Bowens varie misure.

ALIMENTAZIONE ELETTRICA

- Quadro elettrico portatile con 3 prese IP67 2P+T e magnetotermico
 - Portata 3Kw 220V
 - Uscita presa industriale 16A Tripolare IP67
- Prolunga 30mt Electraline 49050
 - 2 prese IEC Tripolare
 - 1 uscita presa industriale 16° Tripolare IP67
- Prolunga 50mt Electraline 49028 [x5]
 - 4 prese polivalenti (schuko + 10/16A)
 - Spina grande 16°
 - Portata max 3,2 Kw
- Prolunga 15mt Elecraline 49029, 4 Prese Universali [x6]
- Prolunga BS-1167650625-Alargador IP44 H07RN-25m Presa IEC/IP67
- Prolunga Avvolgicavo e 4 prese Shuko
 - Avvolgicavi interni esterni classe protezione IP44
 - avo H05RR-F 3G1,5 25m
- Gruppo Elettrogeno maXpeedingrods 3300W Inverter Silenziato a Benzina

SCHERMI GRANDI, MONITOR, SUPPORTI

- Samsung TV UE55AU7190UXZT Smart TV Serie AU7100
 - 55 pollici
 - Smart TV
 - Presa SPDIF
- Stand da pavimento e da tavolo per Samsung TV UE55AU7190XZT
- LG 32UN650 Monitor 32" UltraHD 4K LED IPS
 - 32 pollici
- Dell P2719H LCD Monitor 27", Full HD [x2]
 - 27 pollici
- Samsung LS24E65UPLC/EN- Monitor 24" Full HD [x4]
 - 24 pollici

SWITCH, ROUTERS & LAN CABLES

- Netgear GSM4212p-100EUS AV LINE
- NETGEAR Switch PoE 48 porte Unmanaged GS348PP
- NETGEAR Switch PoE Plus 5 porte GS305EPP
- SWISSONIC Professional Router 2 MKII
- LAN Cables Cat8 Varie metrature da 1,5 mt fino a 90mt

COMBO PACK "CONFERENZA"

PC REGIA

DELL 3930 vMix workstation [4 sdi/in-out + 4 hdmi in]

- CPU intel(R) Xeon E-2224G Exacore @3GHz
- GPU Quadro RTX4000
- RAM 64 Gb
- Motherboard Dell Poweredge
- Windows 10 Pro
- vMix 26, Pro Licence
- Blackmagic Decklink 8k Pro
- Blackmagic Decklink Quad Hdmi Recorder

SCHERMI

- Samsung TV UE55AU7190UXZT Smart TV Serie AU7100
 - 55 pollici
 - Smart TV
 - Presa SPDIF
- Stand da pavimento e da tavolo per Samsung TV UE55AU7190XZT
- LG 32UN650 Monitor 32" UltraHD 4K LED IPS 32 pollici

AUDIO

- MIDAS M32R Digital MIXER
 - 16 Ingressi Microfonici
 - 8 uscite XLR
 - 8 DCA e 6 gruppi Mute
 - 17 fader motorizzati
 - Interfaccia audio USB 32x32
 - 25 Mix Bus
- Stage Box Cat Sssnake MB/FB [x4 coppie per 16 input/output]
- Bose S1 Pro Speaker [x2] + Roadworx Speaker Stand [x2]
 - 160 w RMS c/u
 - SPL massimo 103 db
 - Bluetooth
 - 2 ingressi XLR/jack da 6,3 mm
 - 1 uscita di linea
- Mic Gelato Wireless, Sennheiser XSW 1-835 [x2]
 - Mic dinamici wireless + Sennheiser SK-XSW-E-Band TX da cintura + Mic Sennheiser lavallier ME 2

VIDEOCAMERE

- Canon EOS C200 Cinema Camera [x2]
- Blackmagic Pocket Cinema Camera 6k G2 [x2]
- Blackmagic Pocket Cinema Camera 4K [x2]

LENTI E OBBIETTIVI

- Canon CN-E Servo Zoom 70-200 mm f:4
- Canon EF 70-200 mm f:2,8
- Canon 24-70 mm f:2,8
- Canon 17-40 mm f:4
- Canon 24-105 mm f:4
- Canon 50mm f:1,2
- Canon Extender 1,4x
- Canon Extender 2x
- Zuiko Digital ED 7-14mm 1:2.8 Pro
- Zuiko Digital 12-40mm Pro 1:2,8